

# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier: Premier 200 Series Touch-up Marker - all colors

## Manufacturer/Importer/Supplier/Distributor information

**Premier Packaging Corp.** 

9424 Gulfstream Road

Frankfort IL 60423

815-469-7951

815-469-8047 Fax

#### Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Emergency telephone number:For emergency assistance Involving chemicals

call CHEMTREC day or night at: 1-800-424-9300. CHEMTREC INTERNATIONAL Tel# 703-527-3887

## 2. Hazard(s) identification

#### **Hazard classification**

#### **Physical hazards**

Flammable liquids Category 2

**Health hazards** 

Serious eye damage/eye irritation Category 2B

Carcinogenicity Category 1A Environmental hazards Acute hazards Category 2

to the aquatic environment

Label elements

**Hazard symbol** 



#### Signal word

Danger

#### **Hazard statement**

Highly flammable liquid and vapor.

Poison: Vapor harmful; May be fatal or cause blindness if swallowed;

Cannot be made nonpoisonous.

Causes eye irritation. Causes skin irritation. May cause cancer. Toxic to aquatic life.

#### **Precautionary statement**

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

#### Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If exposed or concerned: Get medical advice/attention. In case of fire: Use ... to extinguish.

#### Storage

Store in well-ventilated place. Keep container tightly closed. Store locked up.

#### Disposal

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

Revision date: 05/15/2015

characteristics at time of disposal.

Other hazards which do not result in GHS classification

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## 3. Composition/information on ingredients

#### Mixtures

nixtui es						
Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*			
Ethanol		64-17-5	80 - 90%			
Isopropyl Alcohol		67-63-0	5 - 10%			
Methanol		67-56-1	0 - 5%			
Methyl Isobutyl Ketone		108-10-1	0 - 1%			
2-Pentanone, 4-hydroxy-4-		123-42-2	0-2%			
methyl-						

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments:** 

The components are not hazardous or are below required disclosure

limits.

#### 4. First-aid measures

**Ingestion:** Call a physician or poison control center immediately. Only induce

vomiting at the instruction of medical personnel. Never give anything by

mouth to an unconscious person.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. Perform artificial

respiration if breathing has stopped.

**Skin contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes.

**Eye contact:** If in eyes, hold eyes open, flood with water for at least 15 minutes and see

a doctor.

Most important symptoms/effects, acute and delayed Symptoms:

No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

SDS US - 000100000971

Revision date: 05/15/2015

#### 5. Fire-fighting measures

General fire hazards: No data available. Suitable (and unsuitable) extinguishing media

Suitable extinguishing

Use: Powder, alcohol-resistant foam, water in large amounts, carbon

media:

dioxide.

**Unsuitable extinguishing** 

No data available.

media:

Specific hazards arising from the

No data available.

chemical:

Special protective equipment and precautions for firefighters

**Special fire fighting** 

No data available.

procedures:

**Special protective equipment for** No data available.

No data available.

fire-fighters:

## 6. Accidental release measures

Personal precautions, protective

equipment and emergency

procedures:

Methods and material for

All equipment used when handling the product must be grounded. containment and cleaning up: Eliminate sources of ignition. Absorb spillage with non-combustible,

absorbent material. Dike for later disposal.

#### 7. Handling and storage

Precautions for safe handling: Avoid contact with skin and eyes. Avoid breathing mists or vapors.

> Flammable/combustible - Keep away from oxidizers, heat and flames. Store away from incompatible materials. Use only with adequate

ventilation.

Conditions for safe storage,

including any incompatibilities: No data available.

4/18 SDS\_US - 000100000971

Revision date: 05/15/2015

## 8. Exposure controls/personal protection

## **Control parameters**

**Occupational exposure limits** 

Chemical identity	Туре	Exposure Lin	nit values	Source
Ethanol	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	REL	1,000 ppm	1,900	US. NIOSH: Pocket Guide to Chemical
			mg/m3	Hazards (2010)
	PEL	1,000 ppm	1,900	US. OSHA Table Z-1 Limits for Air
			mg/m3	Contaminants (29 CFR 1910.1000)
				(02 2006)
	TWA	1,000 ppm	1,900	US. OSHA Table Z-1-A (29 CFR
			mg/m3	1910.1000) (1989)
	TWA	1,000 ppm	1,900	US. Tennessee. OELs. Occupational
			mg/m3	Exposure Limits, Table Z1A (06 2008)
	ST ESL		1,910	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
				Quality) (02 2013)
	AN ESL		1,880	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
				Quality) (02 2013)
	AN ESL		1,000 ppb	US. Texas. Effects Screening Levels
				(Texas Commission on Environmental
				Quality) (02 2013)
	ST ESL		1,010 ppb	US. Texas. Effects Screening Levels
				(Texas Commission on Environmental
				Quality) (02 2013)
	TWA PEL	1,000 ppm	1,900	US. California Code of Regulations,
			mg/m3	Title 8, Section 5155. Airborne
				Contaminants (02 2012)
Isopropyl Alcohol	TWA	200 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	STEL	400 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	REL	400 ppm	980	US. NIOSH: Pocket Guide to Chemical
			mg/m3	Hazards (2010)
	STEL	500 ppm	1,225	US. NIOSH: Pocket Guide to Chemical

SDS\_US - 000100000971 5/18

Revision date: 05/15/2015

	T T			T
			mg/m3	Hazards (2010)
	PEL	400 ppm	980	US. OSHA Table Z-1 Limits for Air
			mg/m3	Contaminants (29 CFR 1910.1000)
				(02 2006)
	STEL	500 ppm	1,225	US. OSHA Table Z-1-A (29 CFR
			mg/m3	1910.1000) (1989)
	TWA	400 ppm	980	US. OSHA Table Z-1-A (29 CFR
			mg/m3	1910.1000) (1989)
	STEL	500 ppm	1,225	US. Tennessee. OELs. Occupational
			mg/m3	Exposure Limits, Table Z1A (06 2008)
	TWA	400 ppm	980	US. Tennessee. OELs. Occupational
			mg/m3	Exposure Limits, Table Z1A (06 2008)
	ST ESL		4,920	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
			1-0,	Quality) (02 2013)
	AN ESL		492	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
			1 0,	Quality) (02 2013)
	ST ESL		2,000 ppb	US. Texas. Effects Screening Levels
			,	(Texas Commission on Environmental
				Quality) (02 2013)
	AN ESL		200 ppb	US. Texas. Effects Screening Levels
				(Texas Commission on Environmental
				Quality) (02 2013)
	TWA PEL	400 ppm	980	US. California Code of Regulations,
			mg/m3	Title 8, Section 5155. Airborne
			<b>3</b> , -	Contaminants (02 2012)
	STEL	500 ppm	1,225	US. California Code of Regulations,
			mg/m3	Title 8, Section 5155. Airborne
				Contaminants (02 2012)
Methanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (03
		_00 pp		2013)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	REL	200 ppm	260	US. NIOSH: Pocket Guide to Chemical
			mg/m3	Hazards (2010)
	STEL	250 ppm	325	US. NIOSH: Pocket Guide to Chemical
	3.22	230 ppiii	mg/m3	Hazards (2010)
	PEL	200 ppm	260	US. OSHA Table Z-1 Limits for Air
	1 LL	200 ppiii	200	03. 03HA TUDIC Z I EIIIIIG IOI AII

SDS\_US - 000100000971 6/18

Revision date: 05/15/2015

			mg/m3	Contaminants (29 CFR 1910.1000)
				(02 2006)
	TWA	200 ppm	260	US. OSHA Table Z-1-A (29 CFR
			mg/m3	1910.1000) (1989)
	STEL	250 ppm	325	US. OSHA Table Z-1-A (29 CFR
			mg/m3	1910.1000) (1989)
	TWA	200 ppm	260	US. Tennessee. OELs. Occupational
			mg/m3	Exposure Limits, Table Z1A (06 2008)
	STEL	250 ppm	325	US. Tennessee. OELs. Occupational
			mg/m3	Exposure Limits, Table Z1A (06 2008)
	ST ESL		2,620	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
			, 0,	Quality) (02 2013)
	ST ESL		2,000 ppb	US. Texas. Effects Screening Levels
			,	(Texas Commission on Environmental
				Quality) (02 2013)
	AN ESL		262	US. Texas. Effects Screening Levels
			μg/m3	(Texas Commission on Environmental
			, 0,	Quality) (02 2013)
	AN ESL		200 ppb	US. Texas. Effects Screening Levels
				(Texas Commission on Environmental
				Quality) (02 2013)
	Ceiling	1,000 ppm		US. California Code of Regulations,
	_			Title 8, Section 5155. Airborne
				Contaminants (02 2012)
	TWA PEL	200 ppm	260	US. California Code of Regulations,
			mg/m3	Title 8, Section 5155. Airborne
			_	Contaminants (02 2012)
	STEL	250 ppm	325	US. California Code of Regulations,
			mg/m3	Title 8, Section 5155. Airborne
			_	Contaminants (02 2012)
Methyl Isobutyl Ketone	TWA	20 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	STEL	75 ppm		US. ACGIH Threshold Limit Values (03
				2013)
	REL	50 ppm	205	US. NIOSH: Pocket Guide to Chemical
			mg/m3	Hazards (2010)
	STEL	75 ppm	300	US. NIOSH: Pocket Guide to Chemical
			mg/m3	Hazards (2010)

SDS\_US - 000100000971 7/18

Revision date: 05/15/2015

PEL	100 ppm	410	US. OSHA Table Z-1 Limits for Air
		mg/m3	Contaminants (29 CFR 1910.1000)
			(02 2006)
TWA	50 ppm	205	US. OSHA Table Z-1-A (29 CFR
		mg/m3	1910.1000) (1989)
STEL	75 ppm	300	US. OSHA Table Z-1-A (29 CFR
		mg/m3	1910.1000) (1989)
TWA	50 ppm	205	US. Tennessee. OELs. Occupational
		mg/m3	Exposure Limits, Table Z1A (06 2008)
STEL	75 ppm	300	US. Tennessee. OELs. Occupational
		mg/m3	Exposure Limits, Table Z1A (06 2008)
AN ESL		82 μg/m3	US. Texas. Effects Screening Levels
			(Texas Commission on Environmental
			Quality) (02 2013)
ST ESL		700	US. Texas. Effects Screening Levels
		μg/m3	(Texas Commission on Environmental
			Quality) (02 2013)
ST ESL		170 ppb	US. Texas. Effects Screening Levels
			(Texas Commission on Environmental
			Quality) (02 2013)
AN ESL		20 ppb	US. Texas. Effects Screening Levels
			(Texas Commission on Environmental
			Quality) (02 2013)
TWA PEL	50 ppm	205	US. California Code of Regulations,
		mg/m3	Title 8, Section 5155. Airborne
			Contaminants (02 2012)
STEL	75 ppm	300	US. California Code of Regulations,
		mg/m3	Title 8, Section 5155. Airborne
			Contaminants (02 2012)

Biological limit values

Chemical identity	Exposure Limit values	Source
Isopropyl Alcohol	40 mg/l (Urine)	ACGIH BEL (03 2013)
(acetone: Sampling		
time: End of shift at		
end of work week.)		
Methanol (methanol:	15 mg/l (Urine)	ACGIH BEL (03 2013)
Sampling time: End of		
shift.)		

### **Control parameters**

#### Occupational exposure limits

1	Occupational exposure li				
	Chemical identity	Туре	Exposure Lim	nit values	Source
	2-Pentanone, 4-	TWA	50 ppm		US. ACGIH Threshold Limit Values (03
	hydroxy-4-methyl-				2013)
		REL	50 ppm	240	US. NIOSH: Pocket Guide to Chemical
				mg/m3	Hazards (2010)
		PEL	50 ppm	240	US. OSHA Table Z-1 Limits for Air
				mg/m3	Contaminants (29 CFR 1910.1000)
					(02 2006)
		TWA	50 ppm	240	US. OSHA Table Z-1-A (29 CFR
				mg/m3	1910.1000) (1989)
		TWA	50 ppm	240	US. Tennessee. OELs. Occupational
				mg/m3	Exposure Limits, Table Z1A (06 2008)
		ST ESL		960	US. Texas. Effects Screening Levels
				μg/m3	(Texas Commission on Environmental
					Quality) (02 2013)
		AN ESL		96 μg/m3	US. Texas. Effects Screening Levels
					(Texas Commission on Environmental
SDS	_US - 000100000971				Quality) (02 2013) 8/18
		ST ESL		200 ppb	US. Texas. Effects Screening Levels
					(Texas Commission on Environmental
					Quality) (02 2013)
		AN ESL		20 ppb	US. Texas. Effects Screening Levels
					(Texas Commission on Environmental
					Quality) (02 2013)
		TWA PEL	50 ppm	240	US. California Code of Regulations,
				mg/m3	Title 8, Section 5155. Airborne
					Contaminants (02 2012)

Revision date: 05/15/2015

Appropriate engineering

No data available.

controls

Individual protection measures, such as personal protective equipment

**General information:** No data available. **Eye/face protection:** No data available.

Skin protection

Hand protection: No data available.
Other: No data available.
Respiratory protection: No data available.
Hygiene measures: No data available.

#### 9. Physical and chemical properties

Physical state: Liquid

Form:
Color:
No data available.
PH:
No data available.
No data available.
No data available.

Initial boiling point and boiling range: 63 - 83 °C

Flash Point: 4 °C

**Evaporation rate:** No data available. **Flammability (solid, gas):** No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

Vapor pressure:

No data available.

Solubility(ies)

Solubility in water: No data available.
Solubility (other): No data available.

SDS\_US - 000100000971

Revision date: 05/15/2015

Partition coefficient (n-octanol/water):No data available.Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

#### 10. Stability and reactivity

Reactivity: No data available.
Chemical stability: No data available.
Possibility of hazardous No data available.

reactions:

Conditions to avoid:No data available.Incompatible materials:No data available.Hazardous decompositionNo data available.

products:

#### 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:No data available.Inhalation:No data available.Skin contact:No data available.Eye contact:No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix (): 3,140.160742 mg/kg

Dermal

**Product:** 

Not classified for acute toxicity based on available data.

Inhalation

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Mouse, 4 h): 39 mg/l LC 50 (Cat, ): 85.41 mg/l 2 (reliable with

restrictions) LC 50 (Rat, ): 130.7 mg/l (, No) 2 (reliable with restrictions) LC 50 (Mouse, ): > 38 mg/l 4 (not assignable) LC 50 (Rat, ): 54.8 mg/l (, No) 2

(reliable with restrictions)

**Specified substance(s):** 

Methanol LC 50 (Rat, 4 h): 64,000 mg/l LC 50 (Cat, 6 h): 43.68 mg/l LC 50 (Cat, 4.5 h):

85.41 mg/I LC 50 (Rat, 6 h): 87.5 mg/I LC 50 (Rat, ): > 115.9 mg/I (, No) 2

SDS\_US - 000100000971 10/18

Revision date: 05/15/2015

(reliable with restrictions)

Repeated dose toxicity

**Product:** No data available.

Skin corrosion/irritation

**Product:** No data available.

Serious eye damage/eye irritation

**Product:** No data available.

**Specified substance(s):**Methyl Isobutyl Ketone

Vapor was irritating to the eyes at 200 ppm.

Respiratory or skin sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Ethanol Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1.

Carcinogenic to humans.

Isopropyl Alcohol Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 3. Not

classifiable as to carcinogenicity to humans.

Methyl Isobutyl

Overall evaluation: 2B. Possibly carcinogenic to humans.

Ketone

#### **US. National Toxicology Program (NTP) Report on Carcinogens:**

Ethanol Known To Be Human Carcinogen.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

**Product:** No data available.

In vivo Product:

No data available.

Reproductive toxicity

Product:

Specific target organ toxicity - single exposure
Product:

No data available.

Specific target organ toxicity - repeated exposure
Product:

No data available.

**Aspiration hazard** 

SDS US - 000100000971 11/18

Revision date: 05/15/2015

Product: No data available.

Other effects: No data available.

#### 12. Ecological information

**Ecotoxicity:** 

Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Fathead minnow (Pimephales promelas), 1 h): > 18,000 mg/l

Mortality LC 50 (Zebra danio (Danio rerio), 2 h): > 100 mg/l Mortality LC 50 (Zebra danio (Danio rerio), 2 h): > 100 mg/l Mortality LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 4 d): 42 mg/l Mortality LC 50

(Zebra danio (Danio rerio), 4 h): > 100 mg/l Mortality

Methanol LC 50 (Bluegill (Lepomis macrochirus), 24 h): 17,400 - 21,000 mg/l Mortality

LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 24 h): 19,800 - 20,700 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 24 h): 29,000 - 30,500 mg/l Mortality LC 50 (Medaka, high-eyes (Oryzias latipes), 24 h): > 10,000 mg/l Mortality LC 50 (Medaka, high-eyes (Oryzias

latipes), 48 h): 1,400 mg/l Mortality

Methyl Isobutyl Ketone LC 50 (Carp (Leuciscus idus melanotus), 48 h): 672 mg/l Mortality LC 50

(Carp (Leuciscus idus melanotus), 48 h): 744 mg/l Mortality

**Aquatic invertebrates** 

Product:

No data available.

Specified substance(s):

Ethanol EC 50 (Water flea (Daphnia magna), 2 h): > 100 mg/l Intoxication EC 50

(Water flea (Daphnia magna), 4 h): > 100 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 6 h): > 100 mg/l Intoxication EC 50 (Water flea (Daphnia obtusa), 24 h): 12,300 - 13,400 mg/l Intoxication EC 50 (Water flea

(Daphnia magna), 24 h): > 1.58 mg/l Intoxication

Isopropyl Alcohol LC 50 (Brine shrimp (Artemia salina), 24 h): > 10,000 mg/l Mortality LC 50

(Water flea (Daphnia magna), 24 h): > 10,000 mg/l Mortality LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 900 - 1,950 mg/l Mortality LC 50 (Common shrimp, sand shrimp (Crangon crangon), 96 h):

750 - 1,650 mg/l Mortality

Revision date: 05/15/2015

Methanol EC 50 (Water flea (Daphnia obtusa), 24 h): 22,800 - 24,400 mg/l Intoxication

EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia obtusa), 48 h): 21,100 - 23,400 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 48 h): 20,450 - 29,350 mg/l Intoxication EC 50

(Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication

Methyl Isobutyl Ketone EC 50 (Water flea (Daphnia magna), 24 h): 3,682 mg/l Intoxication LC 50

(Brine shrimp (Artemia salina), 24 h): 1,230 mg/l Mortality LC 50 (Water flea

(Daphnia magna), 24 h): 4,280 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Persistence and degradability

**Biodegradation** 

**Product:** No data available.

BOD/COD ratio

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Methanol Green algae (Chlorella fusca vacuolata), Bioconcentration factor (BCF):

28,400 (Static)

Partition coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Ethanol Log Kow: -0.31

Isopropyl Alcohol Log Kow: 0.05

Methanol Log Kow: -0.77

Methyl Isobutyl Ketone Log Kow: 1.31 **Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Revision date: 05/15/2015

Ethanol No data available.
Propan-2-ol No data available.
Methanol No data available.
4-Methylpentan-2-one No data available.

#### 13. Disposal considerations

**Disposal instructions:**No data available. **Contaminated packaging:**No data available.

#### 14. Transport information

DOT

UN number: UN 1170

UN proper shipping name: Ethanol solutions

Transport hazard class(es)

Class: 3
Label(s): 3
Packing group: II

Marine Pollutant: Not regulated.

Special precautions for user: –

## 15. Regulatory information

#### US federal regulations US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

Methanol Reportable quantity: 5000 lbs.

Methyl Isobutyl Ketone Reportable quantity: 5000 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

#### **Hazard categories**

Not listed.

Revision date: 05/15/2015

#### SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

#### **SARA 304 Emergency release notification**

Chemical identity	RQ

Methanol 5000 lbs. Methyl Isobutyl Ketone 5000 lbs.

#### SARA 311/312 Hazardous chemical

Chemical identity	Threshold Planning Quantity
Ethanol	500 lbs
Isopropyl Alcohol	500 lbs
Methanol	500 lbs
Methyl Isobutyl Keton	ne 500 lbs

## SARA 313 (TRI reporting)

	Reporting threshold for	Reporting threshold for
Chemical identity	other users	manufacturing and processing
Methanol	10000 lbs	25000 lbs.
Methyl Isobutyl Ketone	10000 lbs	25000 lbs.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US state regulations**

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ethanol Carcinogenic.

Ethanol Developmental toxin.
Methanol Developmental toxin.

Methyl Isobutyl Ketone Carcinogenic.

Revision date: 05/15/2015

## **US. New Jersey Worker and Community Right-to-Know Act**

Ethanol Listed
Methanol Listed

US. Massachusetts RTK - Substance List
Ethanol Listed
Methanol Listed

## **US. Pennsylvania RTK - Hazardous Substances**

Ethanol Listed Methanol Listed

**US. Rhode Island RTK** 


Methanol Listed

Revision date: 05/15/2015

Not in compliance with the inventory. **Inventory Status:** Australia AICS: Canada DSL Inventory List: Not in compliance with the inventory. **EU EINECS List:** Not in compliance with the inventory. **EU ELINCS List:** Not in compliance with the inventory. Japan (ENCS) List: Not in compliance with the inventory. EU No Longer Polymers List: Not in compliance with the inventory. China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory. Canada NDSL Inventory: Not in compliance with the inventory. Not in compliance with the inventory. Philippines PICCS: US TSCA Inventory: On or in compliance with the inventory New Zealand Inventory of Chemicals: Not in compliance with the inventory. Japan ISHL Listing: Not in compliance with the inventory. Japan Pharmacopoeia Listing: Not in compliance with the inventory.

## 16.Other information, including date of preparation or last revision

#### **HMIS Hazard ID**



K - Hood, Gloves, Protective Suit & Boots

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*Chronic health effect

#### **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

**Issue date:** 05/15/2015 **Revision date:** No data available.

Version #: 1.0

Further information: No data available.

Revision date: 05/15/2015

## Univar USA Inc Material Safety Data Sheet

For Additional Information contact MSDS Coordinator during business hours, Pacific time: (425) 889-3400

#### Notice

Univar USA Inc. ("Univar") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Univar sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process